



APPLICATION DELIVERY PARTITIONS (ADPs)

MULTI-TENANT APPLICATION DELIVERY CONTROLLER VIRTUALIZATION

MULTI-TENANCY FOR EFFICIENT DATA CENTER GROWTH

Ever increasing traffic demands have resulted in the proliferation of Application Delivery Controllers (ADCs) and advanced server load balancers; this highlights the need for more efficient deployment options. A10 Networks® Application Delivery Partitions (ADPs) are a proven virtualization solution within its A10™ Thunder ADCs, fulfilling the key requirements of high density and high performance. The ADP virtualization technology provides separation and partitioning of multiple ADCs on a single Thunder ADC platform, helping organizations to dramatically reduce total cost of ownership (TCO) without sacrificing performance or ease of use.

DATA CENTER CONSOLIDATION, SCALABILITY AND EFFICIENCY

Rack density, performance (no hypervisor layer) and the lowest cost per ADC instance are the strongest differentiating factors for A10's ADPs versus other multi-tenant architectures. Rack density is essential to virtualization return on investment; however, this can only be effective if the newly deployed ADC system can deliver the same performance as the system it is targeted to replace. A single Thunder ADC appliance can deliver over 1000 partitions, expanding to over 8000 in a Virtual Chassis System (VCS) cluster.

As A10's ADPs do not use a hypervisor, native Thunder ADC performance is divided according to the required number of partitions, without third-party software impact.

BENEFITS OF A10'S APPLICATION DELIVERY PARTITIONS:

- Highest rack density of any multi-tenant ADC
- Lowest cost per ADC instance
- Reduced CAPEX for new ADCs
- Consolidation of legacy ADCs
- Simplified management for lower OPEX
- Highest performance multi-tenancy

TALK

WITH A10



.....
CONTACT US

a10networks.com/contact

WHAT MAKES UP AN ADP?

ADPs are made up of discrete computing elements designed to efficiently segment each ADC partition, isolated in secure partitions. Built upon A10s' scalable Advanced Core Operating System (ACOS[®]), each ADP has:

- Administrative Resources
 - Granular access with role-based access control
 - Includes users, privileges, and so on
- System Resources
 - Consumable resources allocated per partition
 - Includes number of concurrent sessions for each partition, and Layer 4 connections per second (CPS) per partition
- Network Resources
 - Network interfaces, VLANs, IP addresses, dynamic routing, and so on
 - Includes separate Layer 3 networking resources defined per partition
- Application Resources
 - Real servers, virtual servers, templates, and so on
 - Includes separate application Virtual IP addresses (VIPs) and Layer 7 aFlex TCL scripting rules for deep packet inspection and traffic adjustment



ADP PARTITIONS AND LAYER 3 VIRTUALIZATION

Of particular interest in ADPs is Layer 3 Virtualization (L3V). L3V allows organizations to use the same IP address ranges (for example, overlapping RFC 1918 ranges) to ensure the multi-tenant data center architecture has the same flexibility as a separately deployed device.

In simple terms, this allows each ADP to have the same IP addresses defined, if the administrator so chooses.

CUSTOMER SUCCESS STORIES:

REDUCING TCO AND IMPROVING INTERNAL EFFICIENCY WITH ADPS

ADPs are applicable for any type of organization to drive operational efficiency, and potentially a lot more. Two customer use cases include:

Subaru – consolidated enterprise environment resulting in lower TCO:

- Internal applications (such as Microsoft Exchange) and external web properties are serviced in a combined single ADC deployment, simplifying administration and removing the need to purchase a second pair of ADCs. Separate isolated operational environments are maintained between the internal and external zones.

Peak Hosting – reduced TCO and differentiated Hosting/Cloud Services for competitive advantage:

- Customers moving to the cloud require advanced ADC features and more control. ADPs enable Peak to offer full ADC functionality and management to customers. ADPs reduce Peak's costs as an ADC does not need to be bought for each customer. The customer can have full control, improving satisfaction and reducing the need for Peak's staff to assist with frequent routine operations.





Figure 1: Example of a multi-application enterprise deployment; consolidation of multiple pairs to one

SUMMARY

A10's ADPs within the Thunder ADC platforms deliver a straightforward, clear solution for higher density and higher performance multi-tenant ADCs:

- High performance multi-tenancy for applications and organizations
- No virtualization (hypervisor) performance penalty
- Reduces the number of ADC units required
- Cost-effective production quality multi-tenancy
- L3V eases transition to multi-tenant configurations
- Reduced management complexity
- Integrated natively into ACOS; no third-party software or licenses

ADPs can be used by any size organization for public or private cloud enablement. In addition to ADPs, A10 offers additional flexible ADC virtualization choices, including aVCS® for scalability, vThunder for flexibility, aCloud™ Services Architecture for Infrastructure-as-a-Service (IaaS) solutions and Thunder Hybrid Virtual Appliances (HVA) for strong isolation.

ABOUT A10 NETWORKS

A10 Networks (NYSE: ATEN) is a Secure Application Services™ company, providing a range of high-performance application networking solutions that help organizations ensure that their data center applications and networks remain highly available, accelerated and secure. Founded in 2004, A10 Networks is based in San Jose, Calif., and serves customers globally with offices worldwide.

For more information, visit: a10networks.com or tweet [@a10Networks](https://twitter.com/a10Networks)

LEARN MORE

ABOUT A10 NETWORKS

[CONTACT US](#)

a10networks.com/contact

©2017 A10 Networks, Inc. All rights reserved. A10 Networks, the A10 Networks logo, ACOS, A10 Thunder, A10 Lightning, A10 Harmony and SSL Insight are trademarks or registered trademarks of A10 Networks, Inc. in the United States and other countries. All other trademarks are property of their respective owners. A10 Networks assumes no responsibility for any inaccuracies in this document. A10 Networks reserves the right to change, modify, transfer, or otherwise revise this publication without notice. For the full list of trademarks, visit: www.a10networks.com/a10-trademarks.

Part Number: A10-SB-19111-EN-02 SEP 2017